

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|---|
| LOT # | DESCRIPTION |
| 1 | STM 150 CM CALIPER |
| 2 | MITUTOYO 18 - 24 IN. MICROMETER |
| 3 | STARRET 24 IN. - 30 IN. MICROMETER |
| 4 | BROWN AND SHRAPE 6 - 12 IN. MICROMETER |
| 5 | TELESCOPIC BORE GAUGE SET |
| 6 | WINTERS PRESSURE GAUGE |
| 7 | FLEXBAR COMPOSITE POCKET SET |
| 8 | STARRET UNIVERSAL DIAL TEST INDICATOR |
| 9 | MACHINE LIGHT |
| 10 | INSIZE 500MM DIGITAL CALIPER |
| 11 | INSIZE 300M DIGITAL CALIPER |
| 12 | STARRET SET OF MICROMETER STANDARDS |
| 13 | INSIZE BLOCK LEVEL |
| 14 | CENTERING INDICATOR |
| 15 | 200M FRAME LEVEL |
| 16 | MITUTOYO UNIVERSAL BEVEL PROTRACTOR |
| 17 | VIN BLOCK LEVEL |
| 18 | STARRET STRAIGHT EDGE SET |
| 19 | 2 DOOR METAL CABINET |
| 20 | THE CHALLENGE MCHY CO. 24 X 30 IN. MEASURING SURFACE BLOCK |
| 21 | 12 IN. HEIGHT VENIER CALIPER |
| 22 | 4 STEEL PRECISION BLOCKS |
| 23 | FOWLER PROTRACTOR AND DIGITAL LEVEL |
| 24 | 5 FT. STRONG BACK |
| 25 | LOT OF STRAIGHT EDGES |
| 25A | OUTSIDE MICROMETER SET |
| 25B | 3 ASSORTED OUTSIDE MICROMETERS |
| 26 | 40 IN. STM CALIPER |
| 27 | MITUTOYO 12 - 18 IN. MICROMETER |
| 28 | 24 IN. DIGITAL CALIPER |
| 29 | 18 IN. STM CALIPER |
| 30 | STARRET INSIDE MICROMETER SET |
| 31 | 12 PCS PRECISION ANGLE BLOCK SET |
| 32 | 12 PCS PRECISION ANGLE BLOCK SET |
| 33 | DEEP HOLE DIAL INDICATOR |
| 34 | HARRINGTON 3 TON OVERHEAD CRANE W/2 FLEX EX REMOTE CONTROLS, 30 FT. SPAN AND 50 FT RUNWAY, 600 VOLT |
| 35 | KITO 1 TON ELECTRIC CHAIN HOIST |
| 36 | SWIVEL 2 TON CRANE BOOM, 14 FT. APPROX BOOM |
| 37 | NILES MACHINE LATHE MODEL DLZ800. LIV 4000, 32 IN. SWING, 14 FT. BETWEEN CENTERS TAPER ATTACH STEADY REST AND FOLLOW STEADY, 4 JAW CHUCK, 600 VOLT, S/N 177000957 |
| 38 | ZMM CU 502 MACHINE LATHE, 20 IN. SWING, 80 IN. BETWEEN CENTERS, STEADY AND FOLLOW REST, NEWAL DPG READOUT, 220 VOLT, 3PH, 3 JAW CHUCK S/N 16925 |

THIS IS ONLY A GUIDE

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|---|
| LOT # | DESCRIPTION |
| 39 | BULGARIA ZMM CU 402. MACHINE LATHE, 16 IN. SWING, 60 IN. BETWEEN CENTERS, DP700 READOUT. 2 STEADY AND 1 FOLLOW REST W/ CHANGE GEARS, TOOL POST W/ 4 HOLDERS, 220 VOLT, 3 PH. S/N 2703 |
| 40 | LAGUN MILLING MACHINE MODEL FTV-4, 11 IN. X 58 IN. TABLE W/NEWALL DP700 READOUT |
| 41 | CARLTON RADIAL ARM DRILL, 4 FT ARM, 13 IN. DIA. COLUMN, 220 VOLT, 3PH |
| 42 | STANKO HORIZONTAL BORING MILL MODEL 2620B, 44 1/2 IN. X 49 IN. ROTARY TABLE AND NEWALL READOUT DP700, TAILSTOCK SUPPORT W/READOUT, 220 VOLT 3PH. |
| 43 | NILES VERTICAL BORING MILL, 40 IN. DIA. TABLE, 36 IN. UNDER RAIL, SIDE HEAD AND BENDOUT, 440 VOLT, NEW TABLE BEARINGS |
| 44 | DOALL TF-14 HA VERTICAL TILT-FRAME METAL CUTTING BAND-SAW, 575 VOLT, 45 DEGREE TILTING, HYDRAULIC ROLLER INFEED, 22 IN. X 14 IN. CUT CAP., HYDRAULIC CLAMP. |
| 45 | HAAS ST-30Y CNC LATHE, YEAR 2011, SERIAL NO. 3088152, SWING 21 IN., MACHINING LENGTH 23 IN., CHUCK SIZE 12 IN., BAR CAPACITY 4 IN., POWER 40 HP, SPINDLE SPEED 3,200 RPM, SPINDLE NOSE A2-8, BAR 4 IN. TURNING DIAMETER 18 IN., DIMENSIONS 171 IN. X 90 IN. X 98 IN., WEIGHT 14,300, EARLY POWER FAILURE DETECTION MODE, PROGRAMMABLE HYDRAULIC TAILSTOCK, LIVE TOOLING, ETHERNET INTERFACE, HAAS CONNECT REMOTE MONITORING, HAAS DROP, CONTROL TOUCH SCREEN, WIFI CONNECTION FOR THE HAAS CONTROL, HIGH PRESSURE COOLANT, AUTOMATIC TOOL PRESETTER, BELT TYPE CHIP CONVEYOR, 2-SPEED GEARBOX. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |

INSPECT BEFORE BIDDING

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|--|
| LOT # | DESCRIPTION |
| 46 | 2007 MODERN BNC 22120XL CNC TEACH IN LATHE, SN# 071115610, SPECIFICATIONS: SWING OVER BED 21.6 IN., SWING OVER GAP 31 IN., SWING OVER CROSS SLIDE 12 IN., MAX. TURNING LENGTH 118.11 IN., MAX. WORK PIECE WEIGHT (WITH TAILSTOCK) 4400 LBS., TRAVELS X = 12 IN. Z = 120 IN., SPINDLE RANGE 80 - 2400 RPM - 2 RANGES, SPINDLE HOLE DIAMETER 4.17 IN., SPINDLE NOSE D1-8, SPINDLE MOTOR TYPE FAGOR, SPINDLE MOTOR POWER 11/15 KW, RAPID TRAVERSE X, Z = 60 IN./MIN, OVER BED GUIDE WIDTH 15.9 IN., CROSS SLIDE GUIDE WIDTH 8.5 IN., X AXIS POWER 10.3NM, X AXIS MOTOR TYPE FAGOR FXM34.30A E1.000, Z AXIS POWER 14.5NM, Z AXIS MOTOR TYPE FAGOR FXM54.20A E1.000, X AXIS BALLSCREW 32X5MM-C5, Z AXIS BALLSCREW 50X10MM-C5, QUILL STROKE 5.9 IN., QUILL DIAMETER 3.9 IN., QUILL INSIDE TAPER MT5, COOLANT PUMP MOTOR 1/2 HP, COOLANT PUMP CAPACITY 18 GAL/MIN, COOLANT PUMP PRESSURE 40 PSI, TANK CAPACITY 37 GAL, LUBE PUMP MOTOR 25W, WEIGHT 9000LBS, 3 JAW CHUCK, CHIP CONVEYOR. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |
| 47 | 1999 DAINICHI MG 65 X 140 CNC LATHE, YEAR 1999, SERIAL NO. 29172, SWING OVER BED 25.5 IN., SWING OVER CROSS SLIDE – CHUCKER, DISTANCE BETWEEN CENTERS 55 IN., SPINDLE BORE 3.3, SPINDLE MOUNT A1-11, SPINDLE SPEEDS 1 – 1,800 RPM, SPINDLE HP 20 HP, TURRET / NO. OF POS. 6 POS. UNIVERSAL, RAPID TRAVERSE RATE 6M/MIN, ELECTRICS: 480 V, 3 PH, 60 HZ, FANUC 18T CNC CONTROL, KITAGAWA B18A11 3-JAW HYDRAULIC CHUCK, STEADY REST 11.8 IN., MANUALS, TOOL HOLDERS, LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |
| 48 | WEILER E50 X 1000 CNC LATHE, YEAR 2000, SERIAL NO. 762, SWING 22 IN., MACHINING LENGTH 40 IN., NO. AXIS 2, CHUCK SIZE 12 IN., BAR CAPACITY 3.25 IN., POWER 20 KW, MAX RPM 2500 RPM, DIMENSIONS 110 IN. X 70 IN. X 85 IN. T, WEIGHT 6,400 LBS, CHIP CONVEYOR, 10" 6-JAW STEEL BODY TOOLMEX CHUCK, LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|--|
| LOT # | DESCRIPTION |
| 49 | LEADWELL LTC-30P CNC LATHE, SERIAL NO. L812045, YEAR 1989, MAXIMUM TURNING LENGTH 18 IN., MAXIMUM TURNING DIAMETER 26 IN., DISTANCE BETWEEN CENTERS 62 IN., SPINDLE MAXIMUM 3,000 RPM, HORSEPOWER 40, THROUGH SPINDLE BORE 3.7 IN., 12 IN. DIAMETER 3-JAW HYDRAULIC CHUCK (MMK HA8-12), FANUC OT CONTROL, 10 STATION TURRET, TAILSTOCK, CHIP CONVEYOR. LOCATED IN LETHBRIDGE, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |
| 50 | QSPR CNCPCR-42A CNC PLASMA PIPE PROFILER CUTTING MACHINE, YEAR 2015, SERIAL NO. C3954, PIPE SIZE RANGE 2 - 24, PIPE MAX LENGTH 20 FT. ON ROLLERS, MAX WORKPIECE WEIGHT 17,500 LBS., HYPERTERM MAX PRO 200 POWER SOURCE. VERY GOOD CONDITION LOW HOURS. MACHINE CAN BE SEEN RUNNING. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |
| 51 | WARNER AND SWASEY 3A TURRET LATHE, SERIAL NO. 1318595, SWING OVER BED 24 IN., DISTANCE BETWEEN CENTERS 52 IN., SPINDLE BORE 6.25 IN., 19.5 IN. 3-JAW CHUCK, COOLANT, SIX (6) STATION TURRET. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |
| 52 | SHIZUOKA MILLMASTER B-10V VERTICAL MILL CNC MACHINING CENTRE., SERIAL NO. 74008, YEAR 1994, X AXIS 40 IN., Y AXIS 20 IN., Z AXIS 20 IN., HP 15, RPM 5,000, NUMBER ATC 24, TABLE W 20 IN. L 52 IN., DIMENSIONS L X W X H 124 IN. X 98 IN. X 109 IN., WEIGHT 16,500 LBS., 4 TH AXIS, 10 IN. CHUCK 1.5 IN. BORE, SHIZUOKA FANUC CONTROLLER. LOCATED IN LETHBRIDGE, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW. |

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|---|
| LOT # | DESCRIPTION |
| 53 | <p>OKUMA GP40X165 CYLINDRICAL GRINDER, YEAR 1998, MAXIMUM SWING OVER TABLE 16.93 IN., MAXIMUM DISTANCE BETWEEN CENTERS 66.93 IN., MAXIMUM NOMINAL GRINDING DIAMETER 15.75 IN., MAXIMUM WEIGHT BETWEEN CENTERS 1,100 LBS., MAXIMUM GRINDING WHEEL DIAMETER, WIDTH, BORE 29.92 IN. X 12 IN., MAXIMUM GRINDING WHEEL WIDTH – SINGLE/MULTIPLE: 8.07 IN./10.04 IN., GRINDING WHEEL WIDTH – STANDARD FLANGE/INSIDE GUARD: 1.38-5.12 IN./5.12 IN., GRINDING WHEEL SPINDLE DIAMETER/SPEEDS/MOTOR: 3.54 IN. 840/1030 RPM, 15 HP, WHEEL HEAD TRAVEL – TOTAL: 14.76 IN., WHEEL HEAD TRAVEL PER REVOLUTION OF HANDWHEEL 0.08 IN., WHEEL HEAD INCREMENTAL TRAVEL PER GRADUATION 0.000098 IN., WORK HEAD SPEEDS 16 – 200 RPM, WORK HEAD SPINDLE CENTER MT NO.5, TAILSTOCK SPINDLE TRAVEL/CENTER SPRING-TENSION ADJUSTABLE 1.97 IN./ MT NO.5, TABLE TRAVEL, LONGITUDINAL HYDRAULIC/HAND 71.26 IN., TABLE SPEED RANGE, INFINITELY VARIABLE 1.97-157.48 IN./MIN, TABLE SWIVEL ANGLE, MAX 8 DEGREES, WHEEL SPINDLE DRIVE MOTOR 15 HP, WORK SPINDLE DRIVE MOTOR, 2-SPEED WITH ALLEN BRADLEY VFD 3/1.5 HP, HYDRAULIC PUMP MOTOR 2 HP, COOLANT PUMP MOTOR 0.5 HP, LUBRICATION PUMP MOTOR FOR GRINDING WHEEL SPINDLE 0.125 HP, TOTAL POWER OUTPUT 20.3 HP, ELECTRICS – CURRENTLY WIRED 480/3/60, HYDRAULIC OIL RESERVOIR CAPACITY 126 L (33.3 US GAL), NET WEIGHT, APPROXIMATE 25,000 L, ACU-RITE 2-AXIS DRO, ALLEN-BRADLEY POWERFLEX-70 VARIABLE FREQUENCY DRIVE, FOOT PEDALS FOR TAILSTOCK QUILL RETRACT, ONE GRINDING WHEEL MOUNTED, ADDITIONAL GRINDING WHEELS UNMOUNTED, WORK REST SUPPORTS (STEADIES), ONBOARD MULTI-TAP TRANSFORMER FOR ALL COMMON VOLTAGES 220-240-380-415-440 VOLT. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW.</p> |
| 54 | <p>DMG GILDEMEISTER DMC-635 V VERTICAL MACHINING CENTER, SERIAL NO. 1540501627A, YEAR 2006, TABLE 31.6 IN. X 22 IN., X AXIS TRAVEL 25 IN., Y AXIS TRAVEL 25 IN., Z AXIS TRAVEL 18.1 IN., SPINDLE TAPER 40, SPINDLE REVOLUTIONS 10,000 RPM, TABLE SIZE 31.1 IN. X 22 IN., NUMBER OF T-SLOTS 4 PLUS 1, MAX. TABLE LOAD 1,322 LBS., MAX TABLE HEIGHT 28.3 IN., ATC 20, ELECTRICAL 230 – 400 VOLT, 50/60 HZ, 20 KVA, MACHINE DIMENSIONS 99 IN. X 79 IN. X 99 IN., MACHINE WEIGHT 11,000 LBS., DMG FANUC 32 CONTROL, COOLANT SYSTEM, CHIP CONVEYOR. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW.</p> |

THIS IS ONLY A GUIDE

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|--|
| LOT # | DESCRIPTION |
| 55 | <p>D.C. MORRISON 1 ¼ IN. KEYSEATER, SERIAL NO. K884598 (2-SPEED MODEL), YEAR 1988, CUTS KEYWAYS 1/16 IN. – 1 ¼ IN., MAX. LENGTH OF CUT 9 IN., LENGTH OF STROKE 3 IN. 4 ½ IN. 6 IN. 7 ½ IN. AND 9 IN., STROKES PER MINUTE 34, NUMBER OF FEEDS .002 IN. .004 IN. .006 IN., LARGEST DIAMETER CUTTER BAR 1 ¼ IN., DISTANCE FROM 1 IN. CUTTER TO COLUMN 16 ¼ IN., MAX. DISTANCE UNDER STANDARD CLAMPS 14 IN., DISTANCE BETWEEN CLAMPS 25 ½ IN., TABLE SIZE 24 IN. X 27 IN., TABLE HEIGHT FROM FLOOR 36 IN., FLOOR SPACE REQUIRED 32 IN. X 36 IN., MOTOR: 2 HP / 220V, 440V / 3PH, DIMENSIONS 36 IN. X 48 IN. X 54 IN. H, SHIPPING WEIGHT APPROX. 1,150 LBS., AUTOMATIC FEED, AUTOMATIC STOP, AUTOMATIC RELIEF, QUICK SET-UP, USES SINGLE TOOTH CUTTERS, ADJUSTABLE STROKE, AUTOMATIC CENTERING, AUTOMATIC LUBRICATION. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW.</p> |
| 56 | <p>1994 CHARMILLES TECHNOLOGIES FORM 4-LC EDM SINKERS MACHINE, MACHINE TABLE SIZE 31.5 IN. X 19.7 IN., WORK TANK DIMENSIONS 49.2 IN. X 27.6 IN. X 19.7 IN., X-AXIS TRAVEL 19.7 IN., Y-AXIS TRAVEL 15.7 IN., Z-AXIS TRAVEL 10.2 IN., MAXIMUM WORKPIECE WEIGHT 3,300 LBS., MAXIMUM ELECTRODE WEIGHT 550 LBS., MAXIMUM OPERATING CURRENT 75A, TANK CAPACITY 700L, VOLTAGE 220 – 415 – 440V, POWER CONSUMPTION 7 KVA, MACHINE WEIGHT 7,100 LBS., S/N 9535124. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW.</p> |
| 57 | <p>DUTCH SAWS CIRCULAR COLDCUT SAW. LOCATED IN LEDUC, AB - CONTACT JASON @ 780-497-9741 FOR FURTHER INFORMATION AND TO VIEW.</p> |
| 60 | <p>H-FRAME HYDRAULIC SHOP PRESS, 80 TON APPROX. 4 FT. OPENING X 13 3/4 IN. THROUGH HOLE</p> |
| 61 | <p>HYDRAULIC POWER PACK, 7 1/2 HP, 220 VOLT, 3PH</p> |
| 62 | <p>SUNNEN HONING MACHINE, MODEL MBB1650 W/ FILTER SYSTEM</p> |
| 63 | <p>WALTER TILTING ROTARY TABLE, 20 IN. DIA W/ATTACHMENTS</p> |
| 64 | <p>INDEXING HEAD, 4 IN. HOLLOW SPINDLE, 12 IN. CHUCK, W/TAILSTOCK AND INDEX PLATES</p> |
| 65 | <p>CINCINNATI DIVIDING HEAD W/12 IN. 4 JAW CHUCK</p> |
| 66 | <p>6 IN. - 3 JAW CHUCK</p> |
| 67 | <p>2 V-BLOCKS</p> |
| 68 | <p>15 IN. - 5 JAW CHUCK</p> |
| 69 | <p>T-SLOTTED BOX TABLE</p> |
| 70 | <p>2 SETS OF V-BLOCKS</p> |
| 71 | <p>2 LARGE V-BLOCKS</p> |
| 72 | <p>CNC 900 ANGLE HEAD AND SHOP BUILT ANGLEHEAD</p> |
| 73 | <p>MAGNETIC TABLE AND V-BLOCKS</p> |

INSPECT BEFORE BIDDING

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|---|
| LOT # | DESCRIPTION |
| 74 | TAIL STOCK CHUCK W/NO. 6 MORSE TAPPER |
| 75 | G & L BORING FACING HEAD, W/50 TAPPER |
| 76 | 10 IN. - 3 JAW CHUCK |
| 77 | 8 IN. - 3 JAW CHUCK |
| 78 | T-SLOT BOX TABLE |
| 79 | 40 MILLING ARBOR W/STRAIGHT EDGE |
| 80 | CROSS SLIDE TABLE 28 IN. X 8 IN. TABLE |
| 81 | T-SLOTTED 7 FT. X 3 FT. TABLE ON STAND |
| 82 | BOX OF 3-50 TAPER HOLDERS |
| 83 | BOX SET OF COLLET MILLING HOLDERS |
| 84 | BOX OF NO 50 TOOL HOLDERS |
| 85 | BOX OF ASSORTED MILLING HOLDERS |
| 86 | LARGE NO. 50 MILLING BORING BAR |
| 87 | NO. 50 BORING MILL CUTTER HOLDER |
| 88 | NO. 50 TAPER BORING BAR |
| 89 | 3 - NO. 50 TAPER FACE MILL CUTTER |
| 90 | T-SLOT TABLE ON STANDS |
| 91 | LOT OF ASSORTED HOLD DOWN TOOLS |
| 92 | VERTEX 10 IN. ROTARY TABLE W/3-JAW CHUCK AND TAIL STOCK |
| 93 | TILTING T-SLOT ANGLE PLATE |
| 94 | 16 IN. FACING HEAD W/HOLDER |
| 95 | BORING HEAD |
| 96 | TOOL POST GRINDER |
| 97 | 12 IN. - 3 JAW CHUCK W/BEARINGS |
| 98 | LINEAR RAIL ATTACHMENT |
| 99 | LARGE LIVE CENTER W/ NO. 6 MORRIS TAPER |
| 100 | TOOL POST GRINDER |
| 101 | ANGLE PLATE |
| 102 | ANGLE PLATE |
| 103 | V-BLOCK W/ MINI V-BLOCK SET |
| 104 | V-BLOCK |
| 105 | 10 IN. - 3 JAW CHUCK |
| 106 | 4 BORING TABLE MILL BLOCKS |
| 107 | STEEL WORK BENCH |
| 108 | OXY ACET TORCH, GAGE SET |
| 109 | 3 TAP HANDLES |
| 110 | BOX OF 3 SETS OF LETTER AND NUMBER STAMPS |
| 111 | BOX OF 2 SETS OF NUMBER AND LETTER STAMPS |
| 112 | BOX OF 2 SETS OF LETTER STAMPS |
| 113 | LETTER AND NUMBER STAMP SET |
| 114 | T-SLOT BOX TABLE |
| 115 | 3 - CNC TOOL HOLDERS |
| 116 | LOT OF LIVE CENTERS AND DRILL CHUCKS |
| 117 | LOT OF ASSORTED HOLD DOWN TOOLING |
| 118 | LOT OF MORRIS TAPER HOLDERS |
| 119 | 4 BORING BARS |
| 120 | 6 FT. STRAIGHT EDGE |
| 121 | 4 FT. STRAIGHT EDGE |
| 122 | 3 TON CHAIN HOIST |
| 122A | 7 ASSORTED BEAM TROLLEYS |
| 122B | CANWOOD AIR BRAD NAILER |
| 122C | PRO POINT PLASTIC WELDING KIT |
| 122D | WAGNER HT3500 ELECTRIC HEAT GUN |

THIS IS ONLY A GUIDE

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|--|
| LOT # | DESCRIPTION |
| 122E | ULTRA 34 PC PRECISION TOOL SET |
| 122F | UPRIGHT AIR COMPRESSOR, 3HP, 3PH |
| 123 | GS 8 IN. MACHINE VISE |
| 124 | 12 IN. - 4 JAW CHUCK |
| 125 | BOX OF ASSORTED LIVE CENTERS AND DRILL CHUCK |
| 126 | BOX OF 7 CAT 40 TOOL HOLDERS |
| 127 | BOX OF ASSORTED REAMERS |
| 128 | BOX OF ORB CUTTERS |
| 129 | 2 HORIZONTAL MILLING ARBORS |
| 130 | BOX OF ASSORTED SPADE DRILLS |
| 131 | 3 BESSEY CLAMPS |
| 132 | MAKITA ELECTRIC DIE GRINDER |
| 133 | 4 ASSORTED BORING BARS AND SPADE DRILL |
| 134 | 2 DEVIBE BORING BARS AND 1 REGULAR BORING BAR |
| 134A | 2 IN. DEVIB BORING BAR |
| 135 | MACHINE VISE |
| 136 | MACHINE VISE |
| 137 | LOT OF ASSORTED JACK STANDS |
| 138 | BOX OF 7-40 TAPER TOOL HOLDER |
| 139 | BOX OF 7 CAT 40 TOOL HOLDERS |
| 140 | BOX OF 5 NO. 40 TOOL HOLDER W/2 FACE MILL |
| 141 | BOX OF ASSORTED CENTERS |
| 142 | BOX OF LIVE TAIL STOCK CHUCK |
| 143 | BOX OF ASSORTED SOCKETS AND TORQUE MULTI PLAYER |
| 144 | STEEL WORK ROLLER TABLE |
| 145 | MAGNETIC STAND W/DIAL |
| 146 | BOX OF 5 TOOL HOLDERS |
| 147 | BOX OF 5 TOOL HOLDERS |
| 148 | BOX OF 3 TOOL HOLDERS |
| 149 | BOX OF 2 PC VISE |
| 150 | BOX OF 4 EXTERNAL HONES |
| 151 | BOX OF 4 INDEPENDENT JAWS |
| 152 | BOX OF 4 ASSORTED BORING BARS |
| 153 | BOX OF 1 DEVIBE BORING BAR AND 3 BORING BARS |
| 154 | BOX OF ASSORTED 7 BORING BAR HEADS |
| 155 | MILLING SUPPORT TOOL |
| 156 | SWIVEL/TILTING MACHINE VISE |
| 157 | GEAR DRIVE RING ROLLER |
| 158 | BOX OF ASSORTED HAND TOOLS |
| 159 | 2 TOOL CHEST W/ASSORTED HAND TOOL CUTTERS |
| 160 | LOT OF ASSORTED HAND TOOLS |
| 161 | ARBOR PRESS |
| 162 | BOX OF ASSORTED TURNING TOOLS |
| 163 | BOX OF ASSORTED TURNING TOOLS |
| 164 | BOX OF ASSORTED GEAR CUTTER |
| 165 | BOX OF ASSORTED GEAR CUTTERS |
| 166 | PARALLEL'S |
| 167 | BALL JOINT SPREADER |
| 168 | PARALLEL'S |
| 169 | PARALLEL'S |
| 170 | PORTABLE RE FRACTOMETER |
| 171 | FULLER'S PERMAMENT LIFTING MAGNETIC |
| 172 | 1 HP ELECTRIC MOTOR, 1 PH |
| 173 | STEEL WORK BENCH W/VISE |
| 174 | GIANT ANGLE PLATE |
| 175 | GIANT ANGLE PLATE |
| 176 | 3 IN. BORING BAR W/ATTACHMENTS |
| 177 | PALLET OF ASSORTED MILLING BLOCKS, ANGLE PLATE, JACK STANDS ETC. |
| 178 | POWER FIST 3 1/2 TON FLOOR JACK |
| 179 | FLOOR MAGNETIC ROLLER |
| 180 | LOT OF SHOVELS, BROOM |
| 181 | LOT OF ASSORTED LIFTING SLINGS |

INSPECT BEFORE BIDDING

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|---|
| LOT # | DESCRIPTION |
| 182 | GULLCO ELCTRODE OVEN |
| 183 | KNAACK JOB BOX |
| 184 | 2 MILLING CLAMPS |
| 185 | STEEL LATHE BED LIFTING JIG |
| 186 | LARGE PEDESTAL GRINDER 3PH |
| 187 | LOT OF ASSORTED LIFTING SLINGS AND RATCHET TIE DOWN STRAPS |
| 188 | GREENLEE JOB BOX |
| 188A | SLIDING BAR PULLER W/SUPPORTING TOOLING |
| 188B | STANLEY AIR STAPLER, GLUE GUN AND RUBBERMAID KEYBOARD VACUUM |
| 188C | LOT OF ASSORTED HAND TOOLS |
| 188D | LOT OF ASSORTED REAMERS, CUTTERS, CUTTING INSERTS |
| 188E | 2 KENAMETAL BORING BARS |
| 188F | 2 BOXES OF ASSORTED CUTTERS ETC. |
| 188G | PORTABLE SINGLE BAG DUST COLLECTOR AND FACE SHIELD |
| 188H | PORTABLE DUST COLLECTOR, SINGLE BAG |
| 189 | POWER FIST PARTS WASHER |
| 190 | PRO POINT BENCH GRINDER ON STAND |
| 191 | PROPANE TANK W/TIGER TORCH |
| 192 | 4 ROLLER STANDS |
| 193 | LOT OF AIR HOSE AND EXTENSION CORDS |
| 194 | 2 - 4 FT. X 10 FT. 1/8 IN. THICK PERFORATED SHEET |
| 195 | MAG DRILL W/ 3/4 IN. CHUCK |
| 196 | 20 IN. STEADY REST FITS 16K40 STANKO AND NILES LATHE, 32 IN. SWING |
| 197 | STANKO 10 IN. STEADY REST AND TAPER ATTACHMENT LOCK |
| 197A | 2 LARGE STEEL V-BLOCKS |
| 198 | LOT OF ASSORTED CHAIN W/HOOKS |
| 199 | KITO 3/4 TON COM-A-LONG |
| 200 | OVERHEAD CRANE LIFTING BRIDLE |
| 201 | BOX OF ASSORTED CHANGE GEARS FOR TARNOW LATHE |
| 202 | 2 DOOR METAL CABINET W/POLISHING CONTENTS |
| 203 | LOT OF ASSORTED BROACHES, BUSHING AND METAL CABINET |
| 204 | REX TRANSFORMER STEP UP, 45KVA |
| 205 | REX TRANSFORMER 9KVA, 240/600 VOLT |
| 206 | BEACH TOOL BOX W/CONTENTS |
| 206A | LOT OF ROUND BOLT TURNING TOOLS AND ALLEN WRENCHES ETC. |
| 206B | REDDY HEATER PROPANE |
| 206C | MAKITA CUT OFF SAW |
| 206D | 4 ECLIPSE MAGNETIC V BLOCK POSITIONERS |
| 206E | BOX OF ASSORTED HAND TOOLS, SOCKETS |
| 206F | BOX OF ASSORTED ALLEN WRENCHES |
| 207 | LOT OF ASSORTED SUNNEN TOLLING W/STEEL CABINET |
| 208 | RING GROOVE MEASURING TOOL |
| 209 | LOT OF ASSORTED O-RINGS, ROLL PINS ETC |
| 210 | SHOP GAUGE BLOCK SET |
| 211 | 4 BOXES OF PRECISION STEEL BALLS |
| 212 | INSIZE GEAR TOOTH CALIPER |
| 213 | DIAL BORE GAUGE |
| 214 | DIAL BORE GAUGE EXTENSION |
| 215 | MITUTOYO INSIDE MIC SET |
| 216 | INSIZE MEASURING CALIPER |
| 217 | LOT OF ASSORTED GEAR CUTTERS AND MILLING CUTTERS |
| 218 | LOT OF ASSORTED GEAR CUTTERS AND MILLING CUTTERS |
| 219 | 4 ASSORTED MILLING CUTTERS |
| 220 | LOT OF ASSORTED SHAPER CUTTERS |
| 221 | LOT OF ASSORTED MEASURING EQUIPMENT |
| 222 | LOT OF ASSORTED DRILL BITS |
| 223 | LOT OF ASSORTED GEAR CUTTERS |
| 224 | LOT OF ASSORTED GEAR CUTTERS |
| 225 | OXY ACETYLENE SET BOTTLES INCLUDED |
| 226 | SORGEL 3 PHASE GENERAL PURPOSE TRANSFORMER KVA:30 HV:480 HVAMPS:36 HZ:60 LV:208Y/120 LUAMPS:83 WT:250 |

THIS IS ONLY A GUIDE

| HY-TECH PORTABLE MACHINING LTD. EDMONTON, AB – ONLINE AUCTION ONLY | |
|---|---|
| LOT # | DESCRIPTION |
| 227 | DRAWER OF ASSORTED SPIDE BITS, AIR TOOLING ETC |
| 228 | DRAWER OF ASSORTED SPOT DRILLS, DIE GRINDER BITS, DRILL CHUCK |
| 229 | DRAWER OF ASSORTED BORING BARS AND INSERTS |
| 230 | DRAWER OF ASSORTED TAPS AND HANDLES |
| 231 | DRAWER OF ASSORTED LARGE TAPS AND DIES |
| 232 | DRAWER OF ASSORTED MILLING CUTTER |
| 233 | DRAWER OF ASSORTED DRILL BITS |
| 234 | DRAWER OF ASSORTED TAPER TOOLING AND ADAPTERS |
| 235 | DRAWER OF ASSORTED DRILL BITS |
| 236 | DRAWER OF ASSORTED DRILL BIT EXPANDABLE REAMERS |
| 237 | OZ25-NT30 COLLET SET |
| 238 | ER 32 COLLET SET |
| 239 | LOT OF ASSORTED BRASS AND STEEL SHIM |
| 240 | LOT OF ASSORTED DRILL BITS AND MILLER CUTTERS |
| 241 | TOOL BOX AND ASSORTED CONTENTS OF MILLING CUTTERS |
| 242 | 2 TOOLBOXES AND CONTENTS OF ASSORTED DRILL BITS AND INSERTS |
| 243 | LOT OF ASSORTED GRINDER WHEELS |
| 244 | LOT OF ASSORTED GREASE GUNS |
| 244A | ONE SECTION OF METAL SHELVEING |
| 245 | MISC. LOT OF SCRAP METAL, WIRING, JERRY CANS, VARIOUS MACHINING IMPLEMENTS ETC. |
| 246 | 4 TIER STEEL SHOP RACK |
| 247 | 2 5 GAL BUCKETS OF WAY OIL VICTAC 5 GAL HYDRAULIC OIL AW32 |
| 248 | 2 SOCKET SETS |
| 249 | STEEL TROLLEY |
| 250 | POWER FIST ELECTRIC HOIST |
| 251 | 2 TIER STEEL SHELVE WITH 4 SECTION TAP |
| 252 | STEEL HAND TRUCK |
| 253 | UNION CARBIDE LIQUID NITROGEN TANK |
| 254 | LIGHTS AND STAND |
| 255 | 100 WATT SOLDERING GUN |
| 256 | BIAX SCRAPER |
| 257 | LM100 LEEB HARDNESS TESTER |
| 258 | BESSEY INDUCTION BEARING HEATER MOD. SC110V |
| 259 | LOT OF ASSORTED HANDLES AND KNOBS |
| 260 | NAREX 3 1/8 IN. BORING HEAD |
| 261 | KATO LARGE TAPPING HEAD |
| 262 | 50 TAPER COLLET SET |
| 263 | 2 LATHE MANDRELS |
| 264 | CRESS ELECTRIC FURNACE MOD. C-100-6 115 AC |
| 265 | BIG TAPPING HEAD NO. DT24 |
| 266 | LOT OF ASSORTED MILLING CUTTERS |
| 267 | LOT OF ASSORTED MILLING CUTTERS |
| 268 | TAPPING HEAD NO. 2 GS W/HOLDERS |
| 268A | BORING BAR DIALING CLAMP AND MEASURING TOOLS |
| 269 | 3 TIER SHOP RACK |
| 270 | SHELF W/ASSORTED NUTS, BOLTS, AND WASHERS |
| 271 | MAGNETIC TABLE |
| 272 | SHELF OF ASSORTED NUTS, BOLTS, GEARS, CLAMPS, ETC. |
| 273 | END MILL CUTTER SHARPENER STOCK |
| 274 | SC ROTARY INDEXER |
| 275 | 90 DEGREE MILLING HEADS |
| 276 | 2 STEEL SAWHORSES |
| 277 | 36L PROPANE TANK |
| 278 | 36L PROPANE TANK |
| 279 | 10 FT STEP LADDER |
| 280 | STEEL SHOP RACK |
| 281 | 2 STEEL ROLLING STANDS |
| 282 | STEEL MATERIAL RACK |
| 283 | STEEL MATERIAL RACK |
| 284 | STEEL SAFETY MANLIFT CAGE |

INSPECT BEFORE BIDDING